



- [List of Issues](#)
- [Issue in Progress](#)
- [Current Issue](#)
- [Category: BioOne, 1](#)
- [Aims & Scope](#)
- [Editorial Office](#)
- [Editorial Board](#)
- [Author Guidelines](#)

Print ISSN: 0007-2745**Online ISSN:** 1938-4378**Current:** Fall 2015 : Volume , 118 Issue 3**BioOne Member Since:** 2001**Frequency:** Quarterly**Impact Factor:** 1.238**ISI Journal Citation Reports® Ranking:** 111/200 - Plant Sciences**Eigenfactor™:** *The Bryologist***Title Tools****Most Read Articles**

A Nonrandom Pattern of Rotifers Occupying Lobules of the Hepatic, *Frullania eboracensis*

Ant-mediated dispersal of asexual moss propagules

Epiphytic macrolichen communities correspond to patterns of sulfur and nitrogen deposition in the northeastern United States

Small scale fog-gradients change epiphytic lichen shape and distribution

The Role of Bryophytes in Carbon and Nitrogen Cycling

Most Cited Articles

The Role of Bryophytes in Carbon and Nitrogen Cycling

Desiccation-tolerance in bryophytes: a review

Phylogenetic Species, Reproductive Mode, and Specificity of the Green Alga *Trebouxia* Forming Lichens with the Fungal Genus *Letharia*

Lichenicolous Fungi: Interactions, Evolution, and Biodiversity

Desiccation-Tolerance in Lichens: A Review

More

Sign up for e-alerts

RSS Feeds

[Home](#) / [All Titles](#) / [The Bryologist](#) / Summer 2015 / pg(s) 164-169

The Bryologist

Published by: [The American Bryological and Lichenological Society, Inc.](#)[« previous article](#) : [next article »](#)

Select Language ▾

translator disclaimer

The Bryologist 118(2):164-169. 2015

doi: <http://dx.doi.org/10.1639/0007-2745-118.2.164>

The monotypic genus *Bulborrhizina* belongs to *Bulbothrix* sensu lato (Parmeliaceae, Ascomycota)

Paul M. Kirika^{1,2}, Steven D. Leavitt^{3,4}, Pradeep K. Divakar⁵, Ana Crespo⁵, Grace W. Gatheri¹, George Mugambi⁶, and H. Thorsten Lumbsch^{3,7}

¹ Department of Plant Sciences, Kenyatta University, P. O Box 43844-00100, Nairobi, Kenya

² Botany Department, National Museums of Kenya, P.O. Box 40658-00100, Nairobi, Kenya

³ Science & Education, The Field Museum, 1400 S. Lake Shore Drive, Chicago, IL 60605, U.S.A.

⁴ Committee on Evolutionary Biology, University of Chicago, 1025 E. 57th Street, Chicago, IL 60637, U.S.A

⁵ Departamento de Biología Vegetal II, Facultad de Farmacia, Universidad Complutense de Madrid, Madrid 28040 Spain

⁶ Department of Biological Sciences, Karatina University, P. O. Box 1957-10101, Karatina, Kenya

⁷ Corresponding author's e-mail: tlumbsch@fieldmuseum.org

ABSTRACT

The phylogenetic position of the monotypic genus *Bulborrhizina* is studied using molecular data from three loci (mtSSU, nuLSU and ITS) aligned with sequences from 95 other samples of parmeloid lichens. *Bulborrhizina africana* clusters within the predominantly paleotropical *Bulbothrix* 'clade II' with strong support. However, its relationships within this clade remain uncertain. The morphological characters used to circumscribe *Bulborrhizina* are interpreted as adaptations to the habitat of this species in semi-arid regions of eastern Africa. A formal synonymy of the genus *Bulborrhizina* with either *Bulbothrix* or *Parmelinella* is postponed until sequences of the type species of *Bulbothrix* become available that will allow us to identify which of the two clades of species currently placed in *Bulbothrix* represents *Bulbothrix* s.str.

Received: March 27, 2015; **Accepted:** May 1, 2015; **Published:** June 8, 2015

Keywords: Generic concept, lichens, molecular systematics, parmeloid lichens, phylogeny, taxonomy

Article Views

» Abstract & References

[Full Text](#)

[PDF \(1064 KB\)](#)

Social Tools

[Print Friendly](#)

Article Tools

[Email](#)

[Disable search highlighting](#)

[Add to Favorites](#)

[Sign Up for E-alerts](#)

[Download to Citation Manager](#)

[Alert me when this article is cited:](#)
[Email](#) | [RSS](#)

[Rights & Permissions](#)

Citing Articles

Literature CITED

- Beltman, H. A. 1978. Vegetative Strukturen der Parmeliaceae und ihre Entwicklung. *Bibliotheca Lichenologica* 11: 1–193.
- Blanco, O., A. Crespo, J. A. Elix, D. L. Hawksworth & H. T. Lumbsch. 2004. A molecular phylogeny and a new classification of parmelioid lichens containing *Xanthoparmelia*-type lichenan (Ascomycota: Lecanorales). *Taxon* 53: 959–975. [CrossRef](#)
- Buaruang, K., K. Scharnagl, P. K. Divakar, S. D. Leavitt, A. Crespo, T. H., Nash, III, L. Manoch, R. Lucking & H. T. Lumbsch. 2015. Molecular data support *Pseudoparmelia* as a distinct lineage related to *Relicina* and *Relicinopsis* (Ascomycota, Lecanorales). *Lichenologist* 47: 43–49. [CrossRef](#)
- Crespo, A., F. Kauff, P. K. Divakar, G. Amo, A. Arguello, O. Blanco, P. Cubas, R. del Prado, J. A. Elix, T. L. Esslinger, Z. Ferencova, D. L. Hawksworth, F. Lutzoni, A. M. Millanes, M. C. Molina, S. Perez-Ortega, M. Wedin, T. Ahti, F. Bungartz, S. Calvelo, A. Aptroot, E. Barreno, M. Candan, M. Cole, D. Ertz, B. Goffinet, L. Lindblom, R. Lücking, J. E. Mattsson, M. I. Messuti, J. Miadlikowska, M. Piercy-Normore, V. Rico, H. J. M. Sipman, I. Schmitt, T. Spiribille, A. Thell, G. Thor & H. T. Lumbsch. 2010. Phylogenetic generic classification of parmelioid lichens (Parmeliaceae, Ascomycota) based on molecular, morphological and chemical evidence. *Taxon* 59: 1735–1753.
- Darriba, D., G. L. Taboada, R. Doallo & D. Posada. 2012. jModelTest 2: more models, new heuristics and parallel computing. *Nature Methods* 9: 772. [CrossRef](#), [PubMed](#)
- Divakar, P. K., A. Crespo, O. Blanco & H. T. Lumbsch. 2006. Phylogenetic significance of morphological characters in the tropical *Hypotrachyna* clade of parmelioid lichens (Parmeliaceae, Ascomycota). *Molecular Phylogenetics and Evolution* 40: 448–458. [CrossRef](#), [PubMed](#)
- Divakar, P. K., A. Crespo, J. Núñez-Zapata, A. Flakus, H. J. M. Sipman, J. A. Elix & H. T. Lumbsch. 2013. A molecular perspective on generic concepts in the *Hypotrachyna* clade (Parmeliaceae, Ascomycota). *Phytotaxa* 132: 21–38. [CrossRef](#)
- Divakar, P. K., Z. Ferencova, R. Del Prado, H. T. Lumbsch & A. Crespo. 2010. *Remototrichyna*, a new tropical lineage in hypotrachynoid lichens (Parmeliaceae, Ascomycota): a multigene and morphological approach. *American Journal of Botany* 97: 579–590. [CrossRef](#), [PubMed](#)
- Drummond, A. & A. Rambaut. 2007. BEAST: Bayesian evolutionary analysis by sampling trees. *BMC Evolutionary Biology* 7: 214. [CrossRef](#), [PubMed](#)
- Drummond, A. J., M. A. Suchard, D. Xie & A. Rambaut. 2012. Bayesian phylogenetics with BEAUti and the BEAST 1.7. *Molecular Biology and Evolution* 29: 1969–1973. [CrossRef](#), [PubMed](#)
- Elix, J. A., J. Johnston & P. M. Armstrong. 1986. A revision of the lichen genus *Xanthoparmelia* in Australasia. *Bulletin of the British Museum (Natural History), Botany Series* 15: 163–362.
- Esslinger, T. L. 1981. *Almbornia*, a new lichen genus from South Africa. *Nordic Journal of Botany* 1: 125–127. [CrossRef](#)
- Gardes, M. & T. D. Bruns. 1993. ITS primers with enhanced specificity for basidiomycetes - Application to the identification of mycorrhizae and rusts. *Molecular Ecology* 2: 113–118. [CrossRef](#), [PubMed](#)
- Hale, M. E. Jr. 1990. A synopsis of the lichen genus *Xanthoparmelia* (Vainio) Hale (Ascomycotina, Parmeliaceae). *Smithsonian Contributions to Botany* 74: 1–250. [CrossRef](#)

Hale, M. E. Jr. 1974. *Bulbothrix*, *Parmelina*, *Relicina*, and *Xanthoparmelia*, four new genera in the Parmeliaceae. *Phytologia* 28: 479–490.

Hale, M. E. Jr. 1976. A monograph of the lichen genus *Bulbothrix* Hale (Parmeliaceae). *Smithsonian Contributions to Botany* 32: 1–29.

Hale, M. E. Jr. 1984. An historical review of the genus concept in lichenology. *Beiheft zur Nova Hedwigia* 79: 11–23.

Hale, M. E. Jr. 1985. *Xanthomaculina* Hale, a new lichen genus in the Parmeliaceae (Ascomycotina). *Lichenologist* 17: 255–265. [CrossRef](#)

Hawksworth, D. L. 1994. *Ascomycete Systematics. Problems and Perspectives in the Nineties*. NATO Advanced Science Institute Series, 269. Plenum Press, NY.

Hawksworth, D. L. & A. Crespo. 2002. Proposal to conserve the name *Xanthoparmelia* against *Chondropsis* nom. cons. (Parmeliaceae). *Taxon* 51: 807. [CrossRef](#)

Honegger, R. 1993. Tansley Review No. 60. Developmental biology of lichens. *New Phytologist* 125: 659–677. [CrossRef](#)

Honegger, R. 1996. Experimental studies of growth and regenerative capacity in the foliose lichen *Xanthoria parietina*. *New Phytologist* 133: 573–581. [CrossRef](#)

Katoh, K., K.-i. Kuma, H. Toh & T. Miyata. 2005. MAFFT version 5: improvement in accuracy of multiple sequence alignment. *Nucleic Acids Research* 33: 511–518. [CrossRef](#), [PubMed](#)

Katoh, K. & H. Toh. 2008. Recent developments in the MAFFT multiple sequence alignment program. *Briefings in Bioinformatics* 9: 286–298. [CrossRef](#), [PubMed](#)

Kurokawa, S. 1994. *Bulborrhizina africana*, a new genus and species of the Parmeliaceae. *Acta Botanica Fennica* 150: 105–107.

Larena, I., O. Salazar, V. González, M. C. Julián & V. Rubio. 1999. Design of a primer for ribosomal DNA internal transcribed spacer with enhanced specificity for ascomycetes. *Journal of Biotechnology* 75: 187–194. [CrossRef](#), [PubMed](#)

Leavitt, S. D., T. L. Esslinger, P. K. Divakar & H. T. Lumbsch. 2012. Miocene and Pliocene dominated diversification of the lichen-forming fungal genus *Melanohalea* (Parmeliaceae, Ascomycota) and Pleistocene population expansions. *BMC Evolutionary Biology* 12: 176. [CrossRef](#), [PubMed](#)

Mangold, A., M. P. Martin, R. Lücking & H. T. Lumbsch. 2008. Molecular phylogeny suggests synonymy of Thelotremaeaceae within Graphidaceae (Ascomycota : Ostropales). *Taxon* 57: 476–486.

Nimis, P. L. 1998. A critical appraisal of modern generic concepts in lichenology. *Lichenologist* 30: 427–438. [CrossRef](#)

Rambold, G. & D. Triebel. 1999. Generic concepts in lichenized and lichenicolous ascomycetes since 1950 - a historical approach. *Symbolae Botanicae Upsalienses* 32: 123–164.

Stamatakis, A. 2006. RAxML-VI-HPC: maximum likelihood-based phylogenetic analyses with thousands of taxa and mixed models. *Bioinformatics* 22: 2688–2690. [CrossRef](#), [PubMed](#)

Stamatakis, A., P. Hoover & J. Rougemont. 2008. A Rapid Bootstrap Algorithm for the RAxML Web Servers. *Systematic Biology* 57: 758–771. [CrossRef](#), [PubMed](#)

Talavera, G. & J. Castresana. 2007. Improvement of phylogenies after removing divergent and ambiguously aligned blocks from protein sequence alignments. *Systematic Biology* 56: 564–577. [CrossRef](#), [PubMed](#)

Thell, A., A. Crespo, P. K. Divakar, I. Kärnefelt, S. D. Leavitt, H. T. Lumbsch & M. R. D. Seaward. 2012. A review of the lichen family Parmeliaceae - history, phylogeny and current taxonomy. *Nordic Journal of Botany* 30: 641–664. [CrossRef](#)

Thell, A., T. Feuerer, J. A. Elix & I. Kärnefelt. 2006. A contribution to the phylogeny and taxonomy of *Xanthoparmelia* (Ascomycota, Parmeliaceae). *Journal of the Hattori Botanical Laboratory* 100: 797–807.

White, T. J., T. D. Bruns, S. B. Lee & J. W. Taylor. 1990. Amplification and direct sequencing of fungal ribosomal RNA genes for phylogenetics. Pages 315–322. In: M. A. Innis, D. H. Gelfand, J. J. Sninsky & T. J. White (eds.), *PCR Protocols*. Academic Press, NY. [CrossRef](#)

Wiens, J. J. 1998. Combining data sets with different phylogenetic histories. *Systematic Biology* 47: 568–581. [CrossRef](#), [PubMed](#)

Zoller, S., C. Scheidegger & C. Sperisen. 1999. PCR primers for the amplification of mitochondrial small subunit ribosomal DNA of lichen-forming ascomycetes. *Lichenologist* 31: 511–516. [CrossRef](#)

BioOne is the product of innovative collaboration between scientific societies, libraries, academe and the private sector.

21 Dupont Circle NW, Suite 800, Washington, DC 20036 • Phone 202.296.1605 • Fax 202.872.0884

[TERMS OF USE](#) | [PRIVACY POLICY](#)

Copyright © 2015 BioOne All rights reserved